2 1	Hits 1	Search Te ("20010049636").PN. ((blue adj light) or bl wireless and (@ad<"2001	Text bluelight) same 010626" or	us-PGPU ht) same Us-PGPU or USOCR;
ω Ν	1 4	ss and (@ad<"20010626" or "20010626") e adj limit\$2) or timelimi iscount) same wireless and 20010626" or @rlad<"200106		HO HO
4	0	(hourly with discount) same wireless and (@ad<"20010626" or @rlad<"20010626")		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	0	(timed with discount) same wireless and (@ad<"20010626" or @rlad<"20010626")		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
D	31	<pre>(discount with wireless) and (expir\$6) and (@ad<"20010626" or @rlad<"20010626")</pre>		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	ר	("2001/0049636").URPN.	1	USPAT
œ	67	discount with wireless and (@ad<"20010626" or @rlad<"20010626") not S7		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	0	(((time adj limit\$2) or timelimit) with coupon) same wireless and (@ad<"20010626" or @rlad<"20010626")		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	2	(((time adj limit\$2) or timelimit) with promotion\$3) same wireless and (@ad<"20010626" or @rlad<"20010626")	l '	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	0	((just-in-time) with discount) same wireless and (@ad<"20010626" or @rlad<"20010626")	L	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	20	19	18	17	16	15	14	13	12	
14	203	6	103	241	1	55	72	0	2	Hits
("cell phone" or cellphone) with coupon and (@ad<"20010626" or	wireless with coupon and (@ad<"20010626" or @rlad<"20010626")	(("20010014868") or ("5848396") or ("6741969") or ("20020010627") or ("6327573") or ("6076068")).PN.	(duration near4 (discount or coupon)) and (@ad<"20010626" or @rlad<"20010626")	(duration with (discount or coupon)) and (@ad<"20010626" or @rlad<"20010626")	<pre>((((time adj limit\$2) or timelimit) with calculat\$4) same discount) and (@ad<"20010626" or @rlad<"20010626")</pre>	(((time adj limit\$2) or timelimit) with discount) and (@ad<"20010626" or @rlad<"20010626")	((blue adj light) or bluelight) with special and (@ad<"20010626" or @rlad<"20010626")	((blue adj light) or bluelight) with discount and (@ad<"20010626" or @rlad<"20010626")	((just-in-time) with discount) and (@ad<"20010626" or @rlad<"20010626")	Search Text
US-PGPUB; USPAT; USOCR; EPO; JPO;	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	DBs
KWIC & Abstract		KWIC & Abstract	Titles		KWIC & Abstract	Titles	Titles		KWIC & Abstract	Comments

cellphone) same 20010626" US-PGPUB; not S26 n and (@ad<"20010626" US-PGPUB; not S26 n and (@ad<"20010626" US-PGPUB; n and search and upon) and search and upon) and search and r @rlad<"20010626") r @rlad<"20010626") DERWENT; r mobilephone) with 20010626" or 20000R; EP 20000R; EP 200000 and (authen\$9 US-PGPUB; cupon and (authen\$9 US-PGPUB; cupon and (seac-"20010626" or 200000 US-PGPUB; cupon and (seac-"20010626" or 200000 US-PGPUB; cupon and (seac-"20010626" or 200000 US-PGPUB; cupon and (seac-"20010626" or 2000000; EP 2000000000000000000000000000000000000		4.		זטג	2
(pda) with coupon and (@ad<"20010626") ("cell phone" or cellphone) same ("socr, EPO; JPO; DERWENT; IBM TDB ("fda) with coupon and search and ("seac"20010626") US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT; IBM TDB ("direless with coupon) and search and ("socr, EPO; JPO; DERWENT; IBM TDB ("mobile phone" or mobilephone) with ("socr, EPO; JPO; DERWENT; IBM TDB ("mobile phone" or mobilephone) with ("socr, EPO; JPO; DERWENT; IBM TDB ("ireless) with coupon and ((authen\$) US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB ("wireless) with coupon and ((authen\$) US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with coupon and ((authen\$) US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with coupon and ((authen\$) US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with coupon and ((authen\$) US-PGPUB; USPAT; USOCR; EPO; JPO; USO				((C)::u::
Or @rlad<"20010626") DERWENT; IBM_TDB		97	<u>α</u>	US-PGPUB; USPAT; USOCR; EPO; JPO;	Titles
("cell phone" or cellphone) same ("cell) with coupon and (@ad<"20010626" or DERWENT; IBM TDB (cell) with coupon and (@ad<"20010626" USOCR; EPO; JPO; DERWENT; IBM TDB (cell) with coupon and search and (@ad<"20010626" USOCR; EPO; JPO; DERWENT; IBM TDB ("6862575").PN. (pda) with coupon and search and (@ad<"20010626" USOCR; EPO; JPO; DERWENT; IBM TDB (wireless with coupon) and search and (@ad<"20010626" or @rlad<"20010626") DERWENT; IBM TDB ("mobile phone" or mobilephone) with USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with coupon and (authen\$9 USOCR; EPO; JPO; Gad<"20010626" or @rlad<"20010626" USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with coupon and (authen\$9 USOCR; EPO; JPO; Gad<"20010626" or @rlad<"20010626" or USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with coupon and (authen\$9 USOCR; EPO; JPO; Or authoriz\$4) and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with (discount and verif\$9) USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with (discount and verif\$9) USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with (discount and verif\$9) USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with (discount and verif\$9) USOCR; EPO; JPO; DERWENT; IBM TDB			or @rlad<"20010626")	į	
coupon and (@ad<"20010626") or DERWENT; IBM_TDB (cell) with coupon and (@ad<"20010626") US-PGPUB; USPAT; (cell) with coupon and (@ad<"20010626" US-PGPUB; USPAT; (pda) with coupon and search and (wireless with coupon) and search and (@ad<"20010626" or @rlad<"20010626") US-PGPUB; USPAT; (wireless with coupon) and search and ("mobile phone" or mobilephone) with (wireless) with coupon and ((authen\$) US-PGPUB; USPAT; (wireless) with coupon and ((authen\$) US-PGPUB; USPAT; (@ad<"20010626") DERWENT; IBM_TDB (wireless) with coupon and ((authen\$) US-PGPUB; USPAT; (@ad<"20010626") DERWENT; IBM_TDB (wireless) with coupon and ((authen\$) US-PGPUB; USPAT; (wireless) with (discount and verif\$) US-PGPUB; USPAT; (wireless) with (discount and verif\$) US-PGPUB; USPAT; (BM_TDB_BAT) (Wireless) With (discount and verif\$) US-PGPUB; USPAT; (DERWENT; IBM_TDB_BAT)			phone" or cellphone)	US-PGPUB; USPAT;	
Operation Oper	23	46	and (@ad<"20010626"		Titles
cell) with coupon and (@ad<"20010626" USCR; EPO; JPO; USCR; USCR; EPO; JPO; USCR; USCR; EPO; JPO; USCR; USCR; EPO; JPO; USCR;			@rlad<"20010626") not S26		
199 ("GLI) WICH COLPOIT AND (GACE 20010626") NOT \$26 1 ("6862575").PN. 1 ("6862575").PN. (pda) with coupon and search and (Gad<"20010626" or @rlad<"20010626") (wireless with coupon) and search and (Gad<"20010626" or @rlad<"20010626") ("mobile phone" or mobilephone) with (Gad<"20010626") (wireless) with coupon and ((authen\$) US-PGPUB; USPAT; IBM_TDB (wireless) with (discount and verif\$) US-PGPUB; USPAT; IBM_TDB			;; †		
1 ("6862575").PN. US-PGPUB; USPAT; (pda) with coupon and search and (wireless with coupon) and search and (wad<"20010626" or @rlad<"20010626") DERWENT; IBM_TDB ("mobile phone" or mobilephone) with (coupon and (@ad<"20010626") DERWENT; IBM_TDB (wireless) with coupon and (authen\$9 US-PGPUB; USPAT; (wad<"20010626") US-PGPUB; USPAT; (wireless) with coupon and (authen\$9 US-PGPUB; USPAT; (@ad<"20010626") US-PGPUB; USPAT; (wireless) with coupon and (authen\$9 US-PGPUB; USPAT; (wireless) with (discount and verif\$9) US-PGPUB; USPAT; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; DERWENT; IBM_TDB	24	199	のに / M - / L T M - / L T	USOCR; EPO; JPO;	
1 ("6862575").PN. US-PGPUB; USPAT; (pda) with coupon and search and (@ad<"20010626" or @rlad<"20010626") 80 (@ad<"20010626" or @rlad<"20010626") ("mobile phone" or mobilephone) with (coupon and (@ad<"20010626" or @rlad<"20010626") (wireless) with coupon and ((authen\$9) or authoriz\$4) near message) and (@ad<"20010626") (wireless) with coupon and ((authen\$9) or authoriz\$4)) and (@ad<"20010626") (wireless) with coupon and ((authen\$9) or authoriz\$4)) and (@ad<"20010626") (wireless) with (discount and verif\$9) (berwent; Ibm_TDB (wireless) with (discount and verif\$9) (berwent; Ibm_TDB			@IIdu< 20010828 / HOC		
(pda) with coupon and search and (sead<"20010626") US-PGPUB; USPAT; USOCR; EPO; JPO; USAT; IBM TDB (wireless with coupon) and search and (sead<"20010626") US-PGPUB; USPAT; IBM TDB ("mobile phone" or mobilephone) with (SOCR; EPO; JPO; DERWENT; IBM TDB ("mobile phone" or mobilephone) with (SOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with coupon and (authen\$9 US-PGPUB; USPAT; Or authoriz\$4) near message) and (sead<"20010626") USOCR; EPO; JPO; Or authoriz\$4) and (sead<"20010626") USOCR; EPO; JPO; Or authoriz\$4) and (sead<"20010626") USOCR; EPO; JPO; Or authoriz\$4) and (sead<"20010626") USOCR; EPO; JPO; DERWENT; IBM TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; IBM TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; IBM TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; IBM TDB (wireless) With (Discount and verif\$9) US-PGPUB; USPAT; IBM TDB (wireless) with (Discount and verif\$9) US-PGPUB; USPAT; IBM TDB	25	1	("6862575").PN.		
(wireless with coupon and search and (watch coupon and search and (watch coupon) and search and (watch coupon and search and (watch coupon and (watch coupon) and search and (watch coupon and (watch coupon) and search and (watch coupon and (watch coupon) and search and (watch coupon) and search and (watch coupon) and search and (watch coupon) and (watch coupon) and (watch coupon) with coupon and (watch coupon) with coupon and (wireless) with (discount and verifs) US-PGPUB; USPAT; and (watch coupon) and (watch coupon) and (watch coupon) and (watch coupon) and (wireless) with (discount and verifs) US-PGPUB; USPAT; and (watch coupon) and verifs) US-PGPUB; USPAT; uspat; and (watch coupon) and verifs) US-PGPUB; USPAT; uspat			المستورة المستورة المستورة	- 1	
Wireless with coupon) and search and ("mobile phone" or mobilephone) with ("oupon and (@ad<"20010626") ("wireless) with coupon and ((authen\$9) ("wireless) with (discount and verif\$9) ("seac" 20010626") ("sea	26	39	Lodnos usta	USOCR; EPO; JPO;	Titles
(wireless with coupon) and search and (@ad<"20010626" or @rlad<"20010626") ("mobile phone" or mobilephone) with (USOCR; EPO; JPO; DERWENT; IBM_TDB ("mobile phone" or mobilephone) with (USOCR; EPO; JPO; DERWENT; IBM_TDB (wireless) with coupon and ((authen\$9			C		
RO			bac darees bac (acaios d+im sectorius)		•
("mobile phone" or mobilephone) with US-PGPUB; USPAT; IBM_TDB ("mobile phone" or mobilephone) with US-PGPUB; USPAT; (coupon and (@ad<"20010626") USOCR; EPO; JPO; (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; (wad<"20010626" or @rlad<"20010626") USOCR; EPO; JPO; (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; or authoriz\$4) and (@ad<"20010626" or USOCR; EPO; JPO; @rlad<"20010626") US-PGPUB; USPAT; and (@ad<"20010626") US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; usocr; EPO; JPO; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; DERWENT; IBM_TDB	27	80	culon, and		Titles
("mobile phone" or mobilephone) with coupon and (@ad<"20010626" or USOCR; EPO; JPO; With coupon and ((authen\$9 US-PGPUB; USPAT; Or authoriz\$4) near message) and ((authen\$9 US-PGPUB; USPAT; Or authoriz\$4)) and (@ad<"20010626") DERWENT; IBM_TDB (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; Or authoriz\$4)) and (@ad<"20010626" or USOCR; EPO; JPO; Or authoriz\$4)) and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT: IBM_TDB			<u>د</u>		
coupon and (@ad<"20010626" or USOCR; EPO; JPO; @rlad<"20010626") (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; l (@ad<"20010626" or @rlad<"20010626") (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; lead<"20010626") (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; or authoriz\$4)) and (@ad<"20010626" or USOCR; EPO; JPO; @rlad<"20010626") (wireless) with (discount and verif\$9) US-PGPUB; USPAT; and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; DERWENT: IBM_TDB			<pre>phone" or mobilephone)</pre>		
@rlad<"20010626") (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; or authoriz\$4) near message) and ((authen\$9 USOCR; EPO; JPO; USOCR; EPO; MIT) (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; Or authoriz\$4)) and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT: IBM_TDB	28	44			7 7 7 7 W
<pre>(wireless) with coupon and ((authen\$9 Us-PGPUB; USPAT; or authoriz\$4) near message) and (@ad<"20010626" or @rlad<"20010626") (wireless) with coupon and ((authen\$9 Us-PGPUB; USPAT; or authoriz\$4)) and (@ad<"20010626" or USOCR; EPO; JPO; @rlad<"20010626") (wireless) with (discount and verif\$9) Us-PGPUB; USPAT; and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT; IBM_TDB @rlad<"20010626" or USOCR; EPO; JPO; DERWENT; IBM_TDB</pre>			@rlad<"20010626")	1	שלמנדמנ
1 or authoriz\$4) near message) and (@ad<"20010626" or @rlad<"20010626") DERWENT; IBM_TDB (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; 92 or authoriz\$4)) and (@ad<"20010626" or USOCR; EPO; JPO; @rlad<"20010626") DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; 18 and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT: IBM_TDB			with coupon and		CTE
(@ad<"20010626" or @rlad<"20010626") (wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; or authoriz\$4)) and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT; IBM_TDB (wireless) with (discount and verif\$9) US-PGPUB; USPAT; 18 and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT: IBM_TDB @rlad<"20010626" or USOCR; EPO; JPO; DERWENT: IBM_TDB	29	P	or authoriz\$4) near message) and	EPO	2 × × × ×
<pre>(wireless) with coupon and ((authen\$9 US-PGPUB; USPAT; 92 or authoriz\$4)) and (@ad<"20010626" or USOCR; EPO; JPO;</pre>			or		שטטטרדפט
92 or authoriz\$4)) and (@ad<"20010626" or USOCR; EPO; JPO; @rlad<"20010626") (wireless) with (discount and verif\$9) US-PGPUB; USPAT; 18 and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT: IBM TDB			with coupon and		
@rlad<"20010626") (wireless) with (discount and verif\$9) US-PGPUB; USPAT; 18 and (@ad<"20010626" or USOCR; EPO; JPO; @rlad<"20010626") DERWENT: IBM TDB	30	92	authoriz\$4)) and (@ad<"20010626"		Titles
<pre>(wireless) with (discount and verif\$9) US-PGPUB; USPAT; 18 and (@ad<"20010626" or USOCR; EPO; JPO;</pre>			@rlad<"20010626")		
18 and (@ad<"20010626" or USOCR; EPO; JPO; DERWENT: IBM TDB			with (discount and		
DERWENT: IBM IDB	31	18		USOCR; EPO; JPO;	プザ F C &
T			@rlad<"20010626")	DERWENT; IBM_TDB	ADSCIACO

36	35	34	33	32	
6	0	0	4	1	Hits
(wireless) with coupon and (discount with verif\$9) and (@ad<"20010626" or @rlad<"20010626")	<pre>(wireless) with coupon same (discount with verif\$9) and (@ad<"20010626" or @rlad<"20010626")</pre>	<pre>(wireless) with coupon same (price with verif\$9) and (@ad<"20010626" or @rlad<"20010626")</pre>	<pre>(wireless) same (discount with verif\$9) and (@ad<"20010626" or @rlad<"20010626")</pre>	<pre>(wireless) with (discount with verif\$9) and (@ad<"20010626" or @rlad<"20010626")</pre>	Search Text
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	DBs
KWIC & Abstract			KWIC & Abstract	KWIC & Abstract	Comments